



# ALUMINUM SCAFFOLDING

HIGH QUALITY MADE  
FOR LONGER LIFE



# LIFTING EQUIPMENT

جميع منتجاتنا تتوافق مع المواصفات الاوروبية  
جميع التصميمات يتم تحديثها بصفة دورية

our products Designed according to  
European standards

All Designs are updated periodically


إمكانية انتاج تصميمات خاصة حسب طلب العميل أو ظروف الموقع

Customize Models Will Be Produced for Customer Request Or Site Condition



## 1 SINGLE SCAFFOLDING







### 730\*1710 (Safety Working Distributed Load=200kg)

Serial no	W.H	Working Height	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2
	T.H	Max.Scaffold Height	2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4
	P.H	Max.Platform Height	1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2
F 730/6	1	Frame 6 Rung * 730	2	2	4	4	6	6	8	8
F 730/3	2	Frame 3 Rung * 730	0	2	0	2	0	2	0	2
B/1710	3	Horizontal Brace * 1710	6	6	8	8	10	10	12	12
B/2160	4	Diagonal Brace * 1710	2	4	4	6	6	8	8	10
J-A	5	Adjustable Jack * 550	4	4	4	4	4	4	4	4
J-F	6	Fixed Jack	*	*	*	*	*	*	*	*
W/6	7	Braked Swivel Base Wheel 6 in	4	4	4	4	4	4	4	4
PL - D / 1710	8	Platform with trap door * 1710	1	1	1	1	1	1	1	1
TOE / 730 - 1710	9	Single Toeboard * 1710	1	1	1	1	1	1	1	1
SB / 3000	10	Stabilizer 3 m			4	4	4			
SB / 4500	11	Stabilizer 4.5 m						4	4	
SB / 6000	12	Stabilizer 6 m								4
F-C	13	frame clamp	*	*	*	*	*	*	*	*
	14	Total weight (with load)								

(\*) Option






**730\*2480 (Safety Working Distributed Load=200kg)**


Serial no	W.H	Working Height	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2
	T.H	Max.Scaffold Height	2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4
	P.H	Max.Platform Height	1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2
F 730/6	1	Frame 6 Rung * 730	2	2	4	4	6	6	8	8
F 730/3	2	Frame 3 Rung * 730	0	2	0	2	0	2	0	2
B/2480	3	Horizontal Brace *2480	6	6	8	8	10	10	12	12
B/2810	4	Diagonal Brace * 2480	2	4	4	6	6	8	8	10
J-A	5	Adjustable Jack	4	4	4	4	4	4	4	4
J-F	6	Fixed Jack	*	*	*	*	*	*	*	*
W/6	7	Braked Swivel Base Wheel 6 in	4	4	4	4	4	4	4	4
PL - D / 2480	8	Platform with trap door * 2480	1	1	1	1	1	1	1	1
TOE / 730 - 2480	9	Single Toeboard * 2480	1	1	1	1	1	1	1	1
SB / 3000	10	Stabilizer 3 m			4	4	4			
SB / 4500	11	Stabilizer 4.5 m						4	4	
SB / 6000	12	Stabilizer 6 m								4
F-C	13	frame clamp	*	*	*	*	*	*	*	*
		Total weight (with load)								

(\*) Option



## 2 Double SCAFFOLDING







**1400\*1710 (Safety Working Distributed Load=250kg)**

Serial no	W.H	Working Height																									
	T.H	Max.Scaffold Height																									
	P.H	Max.Platform Height																									
		3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	13.2	14.2														
F 1400/6	1	Frame 6 Rung * 1400	2	2	4	4	6	6	8	8	10	10	12	12	14	14	16	16									
F 1400/3	2	Frame 3 Rung * 1400	0	2	0	2	0	2	0	2	0	2	0	2	0	2	0	2									
B/1710	3	Horizontal Brace * 1710	6	6	8	8	10	10	12	12	14	14	16	16													
B/2160	4	Diagonal Brace * 1710	2	4	4	6	6	8	8	10	10	12	12	14													
J-A	5	Adjustable Jack	4	4	4	4	4	4	4	4	4	4	4	4													
J-F	6	Fixed Jack	*	*	*	*	*	*	*	*	*	*	*	*													
W/6	7	Braked Swivel Base Wheel 6 in	4	4	4	4	4	4	4	4	4	4	4	4													
PL - D / 1710	8	Platform with trap door * 1710	1	1	1	1	1	1	1	1	1	1	1	1													
PL / 1711	9	Platform * 1710	1	1	1	1	1	1	1	1	1	1	1	1													
TOE / 730 - 1710	10	Single Toeboard * 1710	*	*	*	*	*	*	*	*	*	*	*	*													
TOE / 1400 - 1710	11	Double Toeboard * 1710	1	1	1	1	1	1	1	1	1	1	1	1													
SB / 3000	12	Stabilizer 3 m			4	4	4																				
SB / 4500	13	Stabilizer 4.5 m						4	4																		
SB / 6000	14	Stabilizer 6 m								4	4	4	4	4													
F-C	15	frame clamp	*	*	*	*	*	*	*	*	*	*	*	*													
		Total weight (with load)																									


(\*) Option





**1400\*2480 (Safety Working Distributed Load=250kg)**

Serial no	W.H	Working Height	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	13.2	14.2
	T.H	Max.Scaffold Height	2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4
	P.H	Max.Platform Height	1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2
F 1400/6	1	Frame 6 Rung * 1400	2	2	4	4	6	6	8	8	10	10	12	12
F 1400/3	2	Frame 3 Rung * 1400	0	2	0	2	0	2	0	2	0	2	0	2
B/2480	3	Horizontal Brace * 2480	6	6	8	8	10	10	12	12	14	14	16	16
B/2810	4	Diagonal Brace * 2480	2	4	4	6	6	8	8	10	10	12	12	14
J-A	5	Adjustable Jack	4	4	4	4	4	4	4	4	4	4	4	4
J-F	6	Fixed Jack	*	*	*	*	*	*	*	*	*	*	*	*
W/6	7	Braked Swivel Base Wheel 6 in	4	4	4	4	4	4	4	4	4	4	4	4
PL - D / 2480	8	Platform with trap door * 2480	1	1	1	1	1	1	1	1	1	1	1	1
PL / 2480	9	Platform * 2480	1	1	1	1	1	1	1	1	1	1	1	1
TOE / 730 - 2480	10	Single Toeboard * 2480	*	*	*	*	*	*	*	*	*	*	*	*
TOE / 1400 - 2480	11	Double Toeboard * 2480	1	1	1	1	1	1	1	1	1	1	1	1
SB / 3000	12	Stabilizer 3 m			4	4	4							
SB / 4500	13	Stabilizer 4.5 m						4	4					
SB / 6000	14	Stabilizer 6 m								4	4	4	4	4
F-C	15	frame clamp	*	*	*	*	*	*	*	*	*	*	*	*
		Total weight (with load)												



(\*) Option



## Branches

**Egypt :** Cairo - Alex - Ismailia - Merghem - Borg El Arab  
**Qatar :** Doha

## Factories

**Egypt :** Second industrial zone, block 12 Borg El Arab City  
Forth Industrial zone, block 10 Borg El Arab City

+2 0120 30 999 44  
info@marinaplt.com  
[www.marinaplt.com](http://www.marinaplt.com)

